

### COVID-19 Press Briefing

April 7, 2021







### Daily Change in COVID-19 Cases, US

January 22, 2020 – April 5, 2021

TOTAL Cases Reported Since 1/22/20

30,596,830

NEW Cases Reported to CDC on 4/5/21

62,878

Change in 7-Day Case Average


+2.3%


Current 7-Day Case Average (3/30/21 - 4/5/21)


63,479

Prior 7-Day Case Average (3/23/21 - 3/29/21)

62,058











### New Admissions of Patients with Confirmed COVID-19

August 1, 2020 – April 4, 2021

Patients Currently Hospitalized with COVID on 4/4/21

33,901

New Admissions on 4/4/21

4,853

Peak in New Admissions (1/5/21)

17,988

Change in 7-Day Average of New Admissions


+2.7%

Current 7-Day Average of New Admissions (3/29/21 - 4/4/21)

5,082

Prior 7-Day Average of New Admissions (3/22/21 - 3/28/21)

4,949







### Daily Change in COVID-19 Deaths, United States

January 22, 2020 – April 5, 2021

TOTAL Deaths Reported Since 1/22/2020

554,420

NEW Deaths Reported to CDC on 4/5/21 353

Change in 7-Day Death Average

-19.7%

Current 7-Day Death Average (3/30/21 - 4/5/21)


745

Prior 7-Day Death Average (3/23/21 - 3/29/21)

928

Forecasted Total Deaths by 4/24/21

565,000 to 585,000











**WEAR A MASK** 



**STAY 6 FEET APART** 



**AVOID CROWDS** 



**AVOID TRAVEL** 





### **COVID 19: Duration of Immunity**

Natural infection

Post-vaccination





### **COVID 19: Duration of Immunity**

Natural infection

Post-vaccination





## Multiple Immune Memory Responses to SARS-CoV-2 Infection Persist for Months

## Science Science

### Immunological Memory to SARS-CoV-2 Assessed for Up to 8 Months After Infection

JM Dan, S Crotty et al.

- Substantial immune memory generated after COVID-19 infection involving all four major types of immune memory (B cells, antibodies, CD4+ T cells, CD8+ T cells)
- About 95% of subjects retained immune memory at ~6 months after infection








# Stable Neutralizing Antibody Levels 6 Months After Mild and Severe COVID-19 Episodes

E Pradenas, J Blanco et al.









### **COVID 19: Duration of Immunity**

Natural infection

Post-vaccination







April 6, 2021

### Antibody Persistence through 6 Months after the Second Dose of mRNA-1273 Vaccine for COVID-19

N Doria-Rose, MS Suthar et al. for the mRNA-1273 Study Group


- Binding and neutralizing antibodies in 33 healthy adult participants assessed at 180 days after the second 100 µg dose of Moderna vaccine mRNA-1273 -- i.e. day 209
- Antibody activity remained high in all age groups at day 209 according to 3 different serologic assays





# Time Course of SARS-CoV-2 Antibody Binding and Neutralization Responses after mRNA-1273 Vaccination

Binding antibodies, measured with enzyme-linked immunosorbent assay (ELISA) against SARS-CoV-2 spike receptor-binding domain. Note increase with 2nd dose.








# Time Course of SARS-CoV-2 Antibody Binding and Neutralization Responses after mRNA-1273 Vaccination

Pseudovirus neutralization assay. Note increase with 2nd dose.








# Time Course of SARS-CoV-2 Antibody Binding and Neutralization Responses after mRNA-1273 Vaccination

Live-virus neutralization assay. Note increase with 2nd dose.







#### **Conclusions**

Although the precise correlates of immunity remain to be determined, antibodies elicited by mRNA-1273 persisted through 6 months after the second dose

Ongoing studies are monitoring immune responses beyond 6 months as well as determining the effect of a booster dose to extend the duration and breadth of activity against emerging viral variants







THE WHITE HOUSE WASHINGTON

### WH.GOV